

ACTIVE RECIRCULATION FOR ENHANCED REDUCTIVE DECHLORINATION OF CHLORINATED VOCS IN GLAUCONITIC SAND ON A BELGIAN SITE

Mourik
Karina Suy

GQ 2019, Liège, 12th of September



Content

- ▶ Conceptual Site Model
- ▶ Strategy
- ▶ Pilot
- ▶ Full-Scale




Location




Situation on site

- ▶ Polluted area (3 hotspots)
 - About 40.000 m² till 48 mbgl
 - About 270.000 m³
- ▶ Concentrations (maxima)
 - PCE 54.000 µg/l
 - TCE 8.500 µg/l
 - DCE 19.000 µg/l
 - VC 57 µg/l
- ▶ Nitrate 8 till 14 mg/l
- ▶ Sulphate 140 till 180 mg/l
- ▶ Iron 10 till 20 mg/l



Hydrogeology

- ▶ Geology: heterogeneous glauconitic sand with discontinuous clay layers, 1.10^{-5} m/s
- ▶ Groundwater: 2 mbgl




ARCADIS




MOURIK

Strategy : Recirculation




Pilot wells

- First layer between 2 and 34 mbgl
In situ Recirculation
4 extraction wells (2 x 17 m, 2 x 34 m)
2 x 4 injection wells (10, 17, 27 en 34 m)
- Second layer > 36 mbgl
Injection in vertical wells
3 injection wells (44 m)





Pilot infrastructure

50 m



Pilot : Recirculation unit




Injection manifold & wells




Pilot results


6 – 7 mbgl




10 – 11,5 mbgl



22 - 26 mbgl



32,5 – 33,5 mbgl




Discontinuous dosing of C-source: 4 kg \rightarrow 8,5 kg TOC/day




Pilot results


6 – 7 mbgl




10 – 11,5 mbgl



22 - 26 mbgl




32,5 – 33,5 mbgl




- PCE
- TCE
- 1,2-DCE
- VC
- ethene
- ethane



Full scale infrastructure



Full scale : recirculation unit




Full scale




Full scale results


6 – 7 mbgl




8 – 10 mbgl



22 - 26 mbgl




28 – 32 mbgl




Full scale results


6 – 7 mbgl




8 – 10 mbgl



22 - 26 mbgl



28 – 32 mbgl



Contact



Karina SUY
Business Development
Mourik n.v.

Contact information :

 : +32 / 473 / 55 57 27

E-mail : ksuy@mourik.be

